

ANNO	TESI	INTENSITA' OLFATTIVA	FRUTTATO ACERBO	FRUTTATO MATURO	AGRUMATO	FIORALE	SPEZIATO	VEGETALE SECCO	VEGETALE FRESCO	MIELATO	ACIDITA'	ALCOLICITA'	STRUTTURA	EQUILIBRIO	SAPIDITA'	COLORE															
2017	CL	0.745	-0.250	-0.229	-0.371	b	-0.411	a	0.178	ab	-0.282	a	-0.027	ab	-0.865	d	0.004	a	0.101	ac	-0.592	b	-0.443	b	-0.120	ab					
	CNL	-0.203	0.476	a	-0.230	b	-0.086	ab	0.211	a	-0.208	b	0.071	a	0.878	a	0.511	a	0.271	a	-0.271	a	0.357	a	-0.154	ab					
	DL	-0.160	bc	0.008	-0.181	b	0.152	ab	0.141	ab	0.160	a	0.416	a	0.169	a	0.367	a	-0.236	ab	0.069	ab	-0.367	ab	0.061	ab					
	DLN	-0.21	bc	0.213	-0.127	ab	-0.186	a	-0.124	ab	-0.186	a	-0.124	ab	-0.181	ab	0.336	a	-0.181	ab	0.244	a	-0.274	ab	-0.332	a					
	LL	0.432	ab	-0.303	b	0.199	ab	-0.393	b	0.238	a	0.448	a	-0.317	a	-0.073	ab	0.220	a	-0.476	cd	0.085	a	-0.315	bc	-0.105	ab	0.082	ab	-0.556	b
	LNL	0.103	bc	0.368	ab	0.026	a	0.234	ab	0.038	a	0.117	ab	0.170	ab	0.183	a	0.183	a	-0.103	ab	-0.365	bc	-0.117	ab	0.081	ab	0.046	ab		
	TL	0.445	c	0.425	a	-0.352	ab	-0.252	a	-0.229	b	0.043	a	-0.003	ab	-0.232	a	-0.044	bc	0.327	a	0.214	ab	0.424	a	0.235	ab	0.047	ab		
	TNL	-0.114	bc	0.223	ab	0.269	ab	0.174	ab	0.186	a	-0.224	b	0.300	a	0.222	a	-0.096	bc	0.073	a	-0.547	c	-0.483	b	-0.358	ab	0.402	a		
	CL	0.251	bc	0.456	a	0.034	ab	-0.040	b	0.108	a	0.078	ab	0.214	a	0.029	ac	0.135	a	0.208	a	0.316	a	-0.193	a	0.460	ab	0.077	a		
	CNL	-0.043	ab	-0.111	a	0.259	a	-0.038	ab	0.055	a	-0.379	b	-0.242	a	-0.019	ab	0.845	a	-0.075	a	0.329	a	0.340	a	-0.067	a	-0.035	ac	0.063	a
	DL	-0.325	bc	-0.201	a	0.040	ab	-0.184	ab	-0.165	a	0.068	ab	-0.184	ab	-0.039	c	-0.208	a	0.055	ab	-0.276	a	-0.067	ab	-0.458	bc	0.108	a		
	DLN	-0.166	bc	0.301	a	-0.110	ab	-0.205	ab	-0.165	a	-0.261	ab	-0.301	ab	-0.273	ab	0.301	a	-0.273	ab	-0.363	ab	-0.068	ab	-0.363	ab	-0.747	bc	0.040	a
LL	-0.191	ab	-0.324	a	0.066	ab	-0.168	ab	0.347	a	0.156	ab	-0.008	a	-0.563	b	-0.040	bc	-0.208	a	0.272	a	-0.062	a	0.169	a	0.127	ac	0.231	a	
LNL	0.350	bc	0.304	ab	-0.038	ab	-0.038	ab	-0.006	ab	0.368	ab	-0.006	ab	0.368	ab	0.368	ab	-0.006	ab	-0.042	ab	-0.356	ab	-0.042	ab	0.266	ab	0.071	a	
TL	0.665	a	0.158	a	0.644	a	0.259	a	-0.065	ab	0.065	a	0.524	a	0.208	ab	-0.042	a	0.411	a	0.193	a	0.239	a	0.459	a	-0.022	a			
TNL	0.402	ab	0.023	a	-0.077	b	0.181	ab	-0.196	a	-0.278	b	-0.061	a	-0.105	ab	-0.281	bc	-0.246	a	-0.224	ab	0.171	a	0.169	a	0.452	a	-0.316	a	
CL	0.262	bc	-0.062	ab	-0.344	b	0.220	a	-0.181	ab	-0.051	ab	-0.022	ab	0.062	ab	-0.164	ab	0.114	a	-0.314	a	-0.068	a	0.304	ab	0.222	a			
CNL	-0.110	ab	-0.568	b	-0.083	b	-0.309	a	0.123	a	-0.383	a	-0.077	ab	0.008	a	0.271	ab	0.345	ab	0.399	a	-0.074	a	-0.029	a	0.527	a	0.146	a	
DL	-0.138	ab	0.318	ab	-0.167	b	0.259	a	0.084	a	0.285	ab	-0.180	ab	0.103	ab	-0.035	ab	-0.521	a	0.321	a	0.243	a	-0.264	ab	-0.163	ab			
DLN	-0.146	ab	0.046	ab	-0.254	ab	-0.293	a	-0.069	a	0.194	ab	0.468	a	0.069	a	0.325	a	-0.426	a	-0.162	ab	0.132	a	0.285	a	-0.146	ab	-0.058	a	
LL	0.526	a	-0.154	ab	0.029	ab	-0.024	a	-0.221	a	0.008	ab	0.123	ac	0.330	a	-0.083	ab	0.083	ab	0.107	a	0.288	a	0.284	a	0.170	ab	0.296	a	
LNL	0.110	ab	0.028	ab	-0.023	ab	0.185	a	-0.210	a	0.026	ab	-0.029	ab	-0.328	a	0.056	ab	0.384	a	0.104	a	-0.234	a	-0.124	a	-0.268	b	0.228	a	
TL	0.408	b	0.514	a	-0.305	b	0.228	a	-0.264	a	-0.434	b	-0.263	bc	0.155	a	-0.404	b	0.014	ab	-0.203	a	-0.120	a	-0.380	a	-0.056	ab	0.052	a	
TNL	-0.078	ab	-0.095	ab	0.087	a	-0.165	ab	-0.368	a	-0.549	ab	0.117	a	-0.290	b	-0.161	ab	-0.028	a	0.003	a	-0.231	a	-0.324	b	-0.195	a			

ANNO	TESI	INTENSITA' OLFATTIVA	FRUTTATO ACERBO	FRUTTATO MATURO	AGRUMATO	FIORALE	SPEZIATO	VEGETALE SECCO	VEGETALE FRESCO	MIELATO	ACIDITA'	ALCOLICITA'	STRUTTURA	EQUILIBRIO	SAPIDITA'	COLORE															
2017	CL	0.061	a	0.368	a	0.007	a	0.002	a	0.116	a	0.184	a	-0.020	ab	-0.267	a	0.316	a	0.023	ab	0.026	a	0.038	a						
	CNL	-0.628	b	-0.435	b	-0.460	ab	-0.240	ab	-0.436	ab	-0.081	a	-0.188	a	-0.297	bc	-0.069	ab	0.200	a	-0.067	ab	-0.186	ab	-0.220	a	-0.165	a		
	DL	-0.222	ab	0.301	a	-0.262	ab	-0.082	a	-0.035	ab	-0.182	a	-0.042	a	0.786	c	-0.241	b	0.000	a	-0.167	a	-0.110	b	-0.454	b	-0.140	a	0.073	a
	DLN	-0.145	bc	0.160	ab	-0.242	ab	-0.242	ab	-0.242	ab	-0.242	ab	-0.242	ab	-0.242	ab	-0.242	ab	-0.242	ab	-0.242	ab	-0.242	ab	-0.242	ab	-0.242	ab	-0.242	ab
	LL	0.279	a	0.250	a	-0.103	ab	-0.049	ab	0.074	a	-0.031	a	0.062	ab	0.100	a	-0.107	b	0.318	a	0.008	a	0.008	a	0.008	a	0.008	a	0.008	a
	LNL	0.422	a	0.338	a	-0.137	ab	0.030	a	0.150	ab	0.073	a	-0.058	a	0.219	ab	0.295	ab	0.082	a	0.081	a	0.615	a	0.384	a	0.253	a	-0.016	a
	TL	0.077	ab	0.524	a	0.366	a	0.094	a	0.309	a	0.345	a	0.074	a	0.947	a	0.137	a	0.647	b	-0.627	b	-0.266	ab	-0.102	a	-0.113	ab		
	TNL	0.205	ab	0.145	ab	0.262	ab	-0.290	a	0.451	a	0.241	a	-0.183	ab	0.648	a	-0.021	ab	0.303	a	-0.007	a	0.085	ab	0.372	a	0.394	a	0.216	a
	CL	0.04	bc	0.228	ab	0.118	ab	0.212	ab	0.084	ab	0.118	ab	0.084	ab	0.118	ab	0.084	ab	0.118	ab	0.084	ab	0.118	ab	0.084	ab	0.118	ab	0.084	ab
	CNL	-0.020	ab	-0.394	ab	0.474	a	0.140	a	-0.176	bc	-0.111	ab	-0.220	cd	-0.360	c	0.514	a	-0.160	ab	-0.008	ab	-0.176	ab	-0.661	d	-0.204	a		
	DL	-0.246	b	-0.076	bc	-0.077	c	0.033	a	0.040	a	-0.226	c	-0.136	b	-0.890	d	-0.460	bc	-0.178	bc	-0.484	b	-0.561	b	-0.383	a	-0.219	cd	0.098	a
	DLN	-0.245	bc	0.248	ab	-0.156	ab	-0.137	ab	0.181	ab	-0.040	ab	0.181	ab	-0.040	ab	0.181	ab	-0.040	ab	0.181	ab	-0.040	ab	0.181	ab	-0.040	ab	0.181	ab
LL	-0.291	b	-0.509	c	-0.586	bc	-0.185	ab	-0.022	a	0.158	ab	-0.075	ab	0.000	bc	-0.340	c	-0.209	ab	-0.166	ab	0.279	a	0.002	ab	0.002	ab	0.015	a	
LNL	0.181	ab	0.023	ab	0.281	ab	0.060	a	0.313	a	0.135	ab	-0.223	b	0.660	cd	0.870	a	0.187	ab	0.024	ab	0.580	a	0.468	a	0.566	ab	0.171	a	
TL	0.546	a	0.148	ab	0.448	a	0.043	a	0.13	ab	0.728	a	-1.003	bc	0.747	ab	-0.247	ab	-0.247	ab	-0.247	ab	-0.247	ab	-0.247	ab	-0.247	ab	-0.247	ab	
TNL	0.730	a	0.286	ac	0.454	a	0.063	a	0.587	a	0.843	a	-0.258	b	0.780	a	-0.030	bc	0.561	a	0.019	ab	0.569	a	0.468	a	0.687	a	0.867	a	
CL	0.048	ab	0.454	a	0.201	a	0.060	ab	0.333	ab	0.227	ab	0.268	ab	0.133	ab	0.084	ab	0.084	ab	0.084	ab	0.084	ab	0.084	ab	0.084	ab	0.084	ab	
CNL	-0.269	a	-0.159	ab	-0.077	ab	0.043	a	0.083	ab	0.450	a	0.541	a	-0.058	ab	0.476	a	0.107	ab	0.034	ab	0.062	ab	-0.279	b	0.471	a	-0.149	a	
DL	0.960	a	0.402	ab	-0.007	ab	0.253	a	-0.067	ab	-0.402	c	-0.209	b	-0.142	ab	-0.340	b	-0.289	ab	-0.153	ab	-0.089	ab	0.148	ab	0.176	ab	0.194	a	
DLN	0.212	ab	0.073	ab	-0.029	ab	0.107	ab	-0.021	ab	-0.631	ab	-0.248	ab	-0.111	ab	-0.328	ab	0.068	ab	-0.021	ab	0.068	ab	0.068	ab	-0.021	ab	0.068	ab	
LL	0.295	a	0.509	a	-0.331	ab	-0.129	a	0.331	a	-0.250	ab	-0.151	ab	-0.216	b	-0.009	ab													